

**Emerg/ICU Turn-Around-Time Summary Report - HEMATOLOGY FEBRUARY 2016**

**QEII Health Sciences Centre**

EMER - HI Emergency	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	9	9	7	0	1	0	78	0
Total Number of Orderables	228	119	87	0	2	0	2917	6
Percentage TAT Compliant	96.05%	92.44%	91.95%		50.00%		97.33%	100.00%

RAU - HI Rapid Assessment Unit	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	0	0
Total Number of Orderables	1	2	2	0	0	0	161	0
Percentage TAT Compliant	100.00%	100.00%	100.00%				100.00%	

5.1 - Cardiovascular ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	2	1	5	0	0	1	1	0
Total Number of Orderables	77	82	82	0	1	6	867	315
Percentage TAT Compliant	97.40%	98.78%	93.90%		100.00%	83.33%	99.88%	100.00%

5.2 - Medical/Surgical/Neuro ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	4	1	2	0	0	0	5	0
Total Number of Orderables	75	53	54	0	0	2	715	26
Percentage TAT Compliant	94.67%	98.11%	96.30%			100.00%	99.30%	100.00%

6.4 - Coronary Care ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	9	0
Total Number of Orderables	28	17	18	0	1	3	803	61
Percentage TAT Compliant	100.00%	100.00%	100.00%		100.00%	100.00%	98.88%	100.00%

3A MSI - Medical/Surgical ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	13	7	9	0	0	4	28	0
Total Number of Orderables	43	37	37	0	1	16	641	0
Percentage TAT Compliant	69.77%	81.08%	75.68%		100.00%	75.00%	95.63%	

Unit had flood and was closed

10I - Medical/Surgical ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	0	0
Total Number of Orderables	0	0	0	0	0	0	0	0
Percentage TAT Compliant		N/A	N/A			N/A	N/A	

6CC - Medical/Surgical ICU	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	0	0
Total Number of Orderables	0	0	0	0	0	0	0	0
Percentage TAT Compliant		N/A	N/A			N/A	N/A	

**Community Based Sites**

DEM - DG Emergency	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	2	0	1	0	3	0	22	0
Total Number of Orderables	73	29	27	0	6	0	2297	18
Percentage TAT Compliant	97.26%	100.00%	96.30%		50.00%		99.04%	100.00%

D41 - Intensive Care	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	1	0	0	0	0	0	3	0
Total Number of Orderables	8	7	6	0	0	0	197	36
Percentage TAT Compliant	87.50%	100.00%	100.00%				98.48%	100.00%

CEMR - CQ Emergency	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	12	0
Total Number of Orderables	2	0	0	0	0	0	1367	1
Percentage TAT Compliant	100.00%						99.12%	100.00%

HEMR - HC Emergency	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	1	0
Total Number of Orderables	1	1	0	0	0	0	311	0
Percentage TAT Compliant	100.00%	100.00%					99.68%	

**Cancer Care Nova Scotia (QCCA, QCCB, QCCC, QCCD, QCCV Patients Only)**

Cancer Care Nova Scotia	STAT						URGENT	ROUTINE
	CBC (75min)	PT (30min)	PTT (30min)	Thrombin Time (90)	D-Dimer (30min)	Fibrinogen (30min)		
Number of Orderables > TAT Limit	0	0	0	0	0	0	4	0
Total Number of Orderables	1	0	0	0	0	0	195	23
Percentage TAT Compliant	100.00%						97.95%	100.00%