

Hematology Turn-Around-Time Summary Report - JANUARY 2019

| Central Zone Sites Combined Statistics | STAT | | | | | | URGENT | ROUTINE |
|--|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 14 | 7 | 11 | 0 | 1 | 2 | 100 | 59 |
| Total Number of Orderables | 158 | 62 | 63 | 0 | 1 | 6 | 1925 | 3185 |
| Percentage TAT Compliant | 91.14% | 88.71% | 82.54% | | 0.00% | 66.67% | 94.81% | 98.15% |

| QEII Sites Combined Statistics | STAT | | | | | | URGENT | ROUTINE |
|----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 14 | 7 | 11 | 0 | 1 | 14 | 99 | 58 |
| Total Number of Orderables | 150 | 62 | 63 | 0 | 1 | 47 | 1451 | 2967 |
| Percentage TAT Compliant | 90.67% | 88.71% | 82.54% | | 0.00% | 70.21% | 93.18% | 98.05% |

| Halifax Infirmary Site Statistics | STAT | | | | | | URGENT | ROUTINE |
|-----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 9 | 5 | 10 | 0 | 1 | 14 | 6 | 0 |
| Total Number of Orderables | 130 | 56 | 58 | 0 | 1 | 46 | 630 | 200 |
| Percentage TAT Compliant | 93.08% | 91.07% | 82.76% | | 0.00% | 69.57% | 99.05% | 100.00% |

| Victoria General Site Statistics | STAT | | | | | | URGENT | ROUTINE |
|----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 5 | 2 | 1 | 0 | 0 | 0 | 93 | 58 |
| Total Number of Orderables | 20 | 6 | 5 | 0 | 0 | 1 | 821 | 2767 |
| Percentage TAT Compliant | 75.00% | 66.67% | 80.00% | | | 100.00% | 88.67% | 97.90% |

| Dartmouth General Site Statistics | STAT | | | | | | URGENT | ROUTINE |
|-----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 0 | 0 | 0 | N/A | 0 | N/A | 1 | 1 |
| Total Number of Orderables | 7 | 0 | 0 | N/A | 0 | N/A | 262 | 197 |
| Percentage TAT Compliant | 100.00% | | | | | | 99.62% | 99.49% |

| Cobequid Site Statistics | STAT | | | | | | URGENT | ROUTINE |
|----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 0 | 0 | 0 | N/A | 0 | N/A | 0 | 0 |
| Total Number of Orderables | 0 | 0 | 0 | N/A | 0 | N/A | 176 | 0 |
| Percentage TAT Compliant | | | | | | | 100.00% | |

| Hants Community Site Statistics | STAT | | | | | | URGENT | ROUTINE |
|----------------------------------|-------------|------------|-------------|--------------------|-----------------|--------------------|-------------|-------------|
| | CBC (75min) | PT (90min) | PTT (90min) | Thrombin Time (90) | D-Dimer (90min) | Fibrinogen (90min) | Total (3hr) | Total (8hr) |
| Number of Orderables > TAT Limit | 0 | 0 | 0 | N/A | 0 | N/A | 0 | 0 |
| Total Number of Orderables | 1 | 0 | 0 | N/A | 0 | N/A | 36 | 21 |
| Percentage TAT Compliant | 100.00% | | | | | | 100.00% | 100.00% |